



PATTERN COLLECTION

Women



Lawson Cardigan

Designed by Andi Javori

SKILL

Knitting

DIFFICULTY

Intermediate

SIZES

Extra Small (Small, Medium, Large, 1X)
(2X, 3X, 4X, 5X)

Shown in size Small with approx. 2" of positive ease at Back Bust.

FINISHED MEASUREMENTS

Back Width: 16 (18½, 20, 22½, 24) (26½, 28, 30½, 32)"

Chest Circumference (with fronts overlapping): 32 (36¾, 40, 44¾, 48) (52¾, 56, 60¾, 64)"

Length from shoulder: 19½ (20, 20½, 21, 21½) (22, 22½, 23, 23½)"

MATERIALS

Universal Yarn Tango (82% cotton, 18% polyamide; 50g/153 yds)

- 104 Olivos - 8 (9, 10, 11, 12) (13, 14, 15, 16) balls *See Pattern Notes.*

Needle: US Size 7 (4.5 mm) straight (or your preferred needle for knitting flat) or size needed to obtain gauge

US Size 6 (4 mm) straight (or your preferred needle for knitting flat)

Notions: Tapestry needle, removable stitch markers, stitch markers, stitch holders or waste yarn, cable needle (cn)

Knit, Relax, Smile, Repeat!

2024 © Universal Yarn, Inc.

www.universalyarn.com

All rights reserved. This pattern may not be reproduced for business, trade or sale.

Questions? Contact patterns@universalyarn.com

GAUGE

20 sts x 32 rows = 4" in Stockinette Stitch (St st) with larger ndl, *after blocking*
20 st cable panel = 3" across with larger ndl, *after blocking*

Save time, check your gauge.

PATTERN NOTES

The Lawson Cardigan is a fashionable open-front cardigan that is simple, yet fun to knit using our colorful, highly textured Tango yarn. It features a bold cable- along the front edges, and the cable wraps up and around the neck for a terrific finish. This cardigan will be your favorite statement layer for any season.

This cardigan is knit flat in pieces from the bottom up and seamed. After the cardigan is seamed together, the collar extensions on each side of the fronts are worked separately to the center of the neck and are joined using the three-needle bind-off.

For yarn requirements, sizes 4X and 5X take up almost exactly 15 and 16 balls respectively. You may wish to purchase an additional ball as insurance.

The Swirling Cable stitch pattern is both written and charted for your convenience.

STITCH GUIDE

6x8 Left Rib Cross (LRC)

Sl next 6 sts onto cn and hold in front [k2, p2] 2 times from LH ndl, k2, p2, k2 from cn.

K2, P2 Rib

(multiple of 4 sts, plus 2)

Row 1 (RS): * K2, p2; rep from * to last 2 sts, k2.

Row 2 (WS): * P2, k2; rep from * to last 2 sts, p2.
Rep Rows 1-2 for patt.

Swirling Cable

(panel of 20 sts)

Row 1 (RS): P3, [k2, p2tog, yo] 3 times, k2, p3.

Row 2 (WS): K3, [p2, k2] 3 times, p2, k3.

Rows 3-8: Rep Rows 1-2, 3 times.

Row 9: P3, 6x8 LRC, p3.

Row 10: K3, [p2, k2] 3 times, p2, k3.

Row 11: P3, [k2, p2] 3 times, k2, p3.

Rows 12-17: Rep Rows 10-11, 3 times.

Row 18: Rep Row 10.

Row 19: Rep Row 9.

Row 20: Rep Row 10.

Rows 21-36: Rep Rows 1-2, 8 times.
Rep Rows 1-36 for patt.

PATTERN BEGINS

CARDIGAN

BACK

With smaller ndl, cast on 82 (94, 102, 114, 122) (134, 142, 154, 162) sts.

Hem

Work in K2, P2 Rib until piece meas approx. 3" from cast-on edge, ending with a WS row.

Change to larger ndl.

Body

Row 1 (RS): Knit.

Row 2 (WS): Purl.

Cont as est'd in St st until piece meas approx. 12½" from cast-on edge. Place removable markers on each side to denote Armholes.

Cont as est'd until piece meas 7 (7½, 8, 8½, 9) (9½, 10, 10½, 11)" from Armhole markers, ending with a WS row.

Bind off all sts kwise.

RIGHT FRONT

With smaller ndl, cast on 50 (54, 58, 66, 70) (74, 78, 86, 90) sts.

Hem

Row 1 (RS): P3, [k2, p2] 3 times, k2, p3, pm, work in K2, P2 Rib to end.

Row 2 (WS): Work in K2, P2 Rib to m, sl m, k3, p2, [k2, p2] 3 times, k3.

Rep Rows 1-2 until piece meas approx. 3" from cast-on edge, ending with a WS row.

Change to larger ndl.

Body

Note: The Swirling Cable patt is also charted for your convenience.

Row 1 (RS): Work Row 1 of Swirling Cable patt over 20 sts, sl m, knit to end.

Row 2 (WS): Purl to m, sl m, work Row 2 of Swirling Cable patt to end.

Maintaining St st section as est'd, cont through Row 36 of Swirling Cable patt, then rep Rows 1-36 of patt until piece meas 9½ (10, 10½, 10, 10½) (11, 10½, 11, 11½)" from cast-on edge, ending with a WS row.

Knit, Relax, Smile, Repeat!

2024 © Universal Yarn, Inc.

www.universalyarn.com

All rights reserved. This pattern may not be reproduced for business, trade or sale.

Questions? Contact patterns@universalyarn.com

Shape Right Front Neck

Note: Maintain Swirling Cable patt as est'd throughout Neck Shaping.

Dec Row (RS): Cont as est'd in next row of Swirling Cable patt to m, sl m, ssk, cont as est'd to end - 1 st dec'd, 49 (53, 57, 65, 69), (73, 77, 85, 89) sts rem.

Even Row (WS): Cont even as est'd to end.

Rep Dec Row every 6 (10, 10, 6, 6) (6, 6, -, -) rows, 1 (5, 5, 9, 9) (1, 5, -, -) more time(s), then rep Dec Row every 8 (12, 12, 8, 8) (8, 8, 6, 6) rows, 7 (1, 1, 2, 2) (8, 6, 13, 13) time(s) - 8 (6, 6, 11, 11) (9, 11, 13, 13) sts dec'd, 41 (47, 51, 54, 58) (64, 66, 72, 76) sts rem.

At the same time, place a removable marker along side to denote Armhole when piece meas approx. 12½" from cast-on edge.

After all Neck Shaping is complete, cont even as est'd until piece meas 7 (7½, 8, 8½, 9) (9½, 10, 10½, 11)" from Armhole marker, ending with a WS row.

Next Row (RS): Work next row of Swirling Cable patt to m, place 20 sts just worked on stitch holder or waste yarn, bind off rem 21 (27, 31, 34, 38) (44, 46, 52, 56) shoulder sts kwise.

LEFT FRONT

With smaller ndl, cast on 50 (54, 58, 66, 70) (74, 78, 86, 90) sts.

Hem

Row 1 (RS): Work in K2, P2 Rib to last 20 sts, pm, p3, [k2, p2] 3 times, k2, p3.

Row 2 (WS): K3, p2, [k2, p2] 3 times, k3, sl m, work in K2, P2 Rib to end.

Rep Rows 1-2 until piece meas approx. 3" from cast-on edge, ending with a WS row.

Change to larger ndl.

Body

Note: The Swirling Cable patt is also charted for your convenience.

Row 1 (RS): Knit to m, sl m, work Row 1 of Swirling Cable patt over 20 sts to end.

Row 2 (WS): Work Row 2 of Swirling Cable patt to m, sl m, purl to end.

Maintaining St st section as est'd, cont through Row 36 of the Swirling Cable patt, then rep Rows 1-36 of patt until piece meas approx. 9½ (10, 10½, 10, 10½) (11, 10½, 11, 11½)" from cast-on edge, ending with a WS Row.

Shape Left Front Neck

Note: Maintain Swirling Cable patt as est'd throughout Neck Shaping.

Dec Row (RS): Cont as est'd to 2 sts before m, k2tog, sl m, cont as est'd in next row of Swirling Cable patt to end - 1 st dec'd, 49 (53, 57, 65, 69), (73, 77, 85, 89) sts rem.

Even Row (WS): Cont even as est'd to end.

Rep Dec Row every 6 (10, 10, 6, 6) (6, 6, -, -) rows, 1 (5, 5, 9, 9) (1, 5, -, -) more time(s), then rep Dec Row every 8 (12, 12, 8, 8) (8, 8, 6, 6) rows, 7 (1, 1, 2, 2) (8, 6, 13, 13) time(s) - 8 (6, 6, 11, 11) (9, 11, 13, 13) sts dec'd, 41 (47, 51, 54, 58) (64, 66, 72, 76) sts rem.

At the same time, place a removeable marker along side to denote Armhole when piece meas approx. 12½" from cast-on edge.

After all Neck Shaping is complete, cont even as est'd until piece meas 7 (7½, 8, 8½, 9) (9½, 10, 10½, 11)" from Armhole markers, ending with a WS row.

Bind off 21 (27, 31, 34, 38) (44, 46, 52, 56) shoulder sts kwise, work next row of Swirling Cable patt, then place 20 sts just worked on stitch holder or waste yarn.

SLEEVES

Make two alike.

Cuff

With smaller ndl, cast on 38 (38 42, 42, 46) (46 50, 50, 50) sts.

Work in K2, P2 Rib until piece meas approx. 3" from cast-on edge, ending with a WS row.

Change to larger ndl.

Main Sleeve

Inc Row (RS): K2, [m1, k3] 1 (1, 3, 3, 5) (5, 7, 7, 7) times, [m1, k4] 7, (7, 5, 5, 3) (3, 1, 1, 1) times, [m1, k3] 1 (1, 3, 3, 5) (5, 7, 7, 7), m1, k2 - 10 (10, 12, 12, 14, 14, 16, 16) sts inc'd, 48 (48, 54, 54, 60) (60, 66, 66, 66) sts.

Row 1 (WS): Purl.

Row 2 (RS): Knit.

Row 3: Purl.

Rep Rows 2-3 until piece meas approx. 4" from cast-on edge ending with a WS row.

Knit, Relax, Smile, Repeat!

2024 © Universal Yarn, Inc.

www.universalyarn.com

All rights reserved. This pattern may not be reproduced for business, trade or sale.

Questions? Contact patterns@universalyarn.com

Shape Sleeve

Inc Row (RS): K1, m1R, knit to last 2 sts, m1L, k1 – 2 sts inc'd; 50 (50, 56, 56, 62) (62, 68, 68, 68) sts.

Continuing in St st, rep Inc Row every 8 (6, -, 4, 6) (4, 4, 4, 2) rows, 2 (4, -, 1, 12) (7, 8, 17, 2) times, then rep Inc Row every 10 (8, 8, 6, 8) (6, 6, 6, 4) rows, 8 (9, 12, 14, 2) (10, 8, 2, 19) times – 20 (26, 24, 30, 28) (34, 32, 38, 42) sts inc'd, 70 (76, 80, 86, 90) (96, 100, 106, 110) sts.

Cont even as est'd until Sleeve meas approx. 18 (18, 18, 17, 17) (17, 16, 16, 16)" from cast-on edge, ending with a WS row.

Bind off all sts kwise.

FINISHING

Gently wash and block pieces to finished measurements. Weave in ends. Sew Shoulder seams. Sew Sleeves to Body using armhole markers as a guide. Sew Sleeve and side seams.

Right Collar Extension

Place 20 held sts from Right Front onto ndl, ready to work a WS row.

Row 1 (WS): K3, p2, [k2, p2] 3 times, k3.

Row 2 (RS): P3, [k2, p2] 3 times, k2, p3.

Rep Rows 1–2 for 4 (4, 4, 4½, 4½) (4½, 5, 5, 5)" from shoulder seam, ending with a WS row.

Place sts for Collar Extension on holder or waste yarn.

Left Collar Extension

Place 20 held sts from Left Front back onto ndl, ready to work a WS row.

Row 1 (WS): K3, p2, [k2, p2] 3 times, k3.

Row 2 (RS): P3, [k2, p2] 3 times, k2, p3.

Rep Rows 1–2 for 4 (4, 4, 4½, 4½) (4½, 5, 5, 5)" from shoulder seam, ending with a WS row.

Place sts for Collar Extension on holder or waste yarn.

Join Collar Extensions

Note: You may need to adjust the length of each Collar Extension before joining. The join should align with the center of Back Neck.

Sew side of Collar Extension along the Back Neck on each side, ending at the center of the Back Neck. With RS facing together, join each Collar Extension using the three-needle bind-off method.

Weave in rem ends.

Abbreviations

*	indicates a repeat section
approx.	approximately
bef	before
cn	cable needle
cont	continue
dec('d)	decrease(d)
est'd	established
inc('d)	increase(d)
k	knit
k2tog	knit 2 stitches together (1 st dec'd)
kwise	knitwise
LH	left hand
m	marker
m1	insert left needle from front to back under horizontal strand of yarn lying between st just worked and next st, knit or purl this st through the back loop (1 st inc'd)
m1L	insert left needle from front to back under horizontal strand of yarn lying between st just worked and next st, knit or purl this st through the back loop (1 st inc'd)
m1R	insert left needle from back to front under horizontal strand of yarn lying between st just worked and next st, knit or purl this st through the front loop (1 st inc'd)
meas	measures
ndl	needle
p	purl
p2tog	purl 2 sts together (1 st dec'd)
patt	pattern
pm	place marker
rem	remain(ing)
rep	repeat
RS	right side
sl	slip
ssk	slip next 2 sts individually knitwise, slip them back to left needle in this position, knit them together through the back loops (1 st dec'd)
st(s)	stitch(es)
WS	wrong side
yo	yarnover

Knit, Relax, Smile, Repeat!


2024 © Universal Yarn, Inc.

www.universalyarn.com

All rights reserved. This pattern may not be reproduced for business, trade or sale.

Questions? Contact patterns@universalyarn.com

Swirling Cable



20 stitch panel

Key

-  pattern repeat
-  knit on RS, purl on WS
-  purl on RS, knit on WS
-  p2tog
-  yo
-  6x8 LRC



Knit, Relax, Smile, Repeat!

2024 © Universal Yarn, Inc.

www.universalyarn.com

All rights reserved. This pattern may not be reproduced for business, trade or sale.

Questions? Contact patterns@universalyarn.com



Knit, Relax, Smile, Repeat!

2024 © Universal Yarn, Inc.

www.universalyarn.com

All rights reserved. This pattern may not be reproduced for business, trade or sale.

Questions? Contact patterns@universalyarn.com