

PATTERN COLLECTION

Women



Palomar Top

Designed by Aubrey Busek

SKILL

Knitting

DIFFICULTY

Intermediate

SIZES

Extra Small (Small, Medium, Large, 1X, 2X, 3X, 4X, 5X) Shown in Small size with approx. 1½" of positive ease.

FINISHED MEASUREMENTS

Chest: 29½ (33½, 37½, 41½, 45½) (49½, 57½, 61½)" Length: 22½ (23½, 24, 24½, 25) (26, 26½ 27½, 28)"

MATERIALS

Universal Yarn *Bella Tweed* (95% cotton (62%-75% recycled), 5% other fibers; 50g/109 yds)

• 103 Sustain - 6 (7, 8, 9, 10) (11, 12, 13, 14) balls

Needles: US Size 6 (4 mm) straight (or preferred needle for knitting flat) or size needed to obtain gauge US Size 5 (3.75 mm) straight (or preferred needle for knitting flat), 16" circular, and set of DPNS Notions: Tapestry needle, cable needle

(cn), stitch markers

Knit, Relax, Smile, Repeat!

2023 © Universal Yarn, Inc.
www.universalyarn.com
All rights reserved. This pattern may not be reproduced for business, trade or sale.
Questions? Contact patterns@universalyarn.com

GAUGE

20 sts x 30 rows = 4" in Reverse Stockinette stitch (St st) with larger ndl Save time, check your gauge.

PATTERN NOTES

Palomar, named after a type of knot, features all the lovely twists you'd expect to see in nautical rope. This sophisticated top features beautiful, undulating cables filled with moss stitch on a background of reverse Stockinette stitch. The crowning feature are the I-Cord ties that decorate each side of the sweater. Palomar is polished and perfect for an upscale boat party or a dockside lunch date.

This tank is knit flat in pieces and seamed. An I-cord tie is inserted through eyelets on each side after seaming.

STITCH GUIDE

2x2 Left Cross (LC)

Slip 2 sts to cn and hold in front, k2 from LH ndl, k2 from cn.

2x2 Right Cross (RC)

Slip 2 sts to cn and hold in back, k2 from LH ndl, k2 from cn.

2x1 Right Purl Cross (RPC)

Slip 1 st to cn and hold in back, k2 from LH ndl, p1 from cn.

2x1 Left Purl Cross (LPC)

Slip 2 sts to cn and hold in front, p1 from LH ndl, k2 from cn.

K2, P2 Rib

(even number of sts, worked flat or in the rnd)
Rnd 1: * K2, p2; rep from * to end.
Rep Rnd 1 for patt.

Evelets Left

(panel of 12 sts)

Row 1 (RS): P10, yo, k2tog.

WS Rows 2-8: Knit.

RS Rows 3-7: Purl.

Rep Rows 1-8 for patt.

Eyelets Right

(panel of 12 sts)

Row 1 (RS): Ssk, yo, k10.

WS Rows 2-8: Knit.

RS Rows 3-7: Purl.

Rep Rows 1-8 for patt.

Woven Cable

(panel of 28 sts)

Row 1 (RS): P2, k2, [p1, k1] 5 times, 2x2 LC, p2, k2, p6.

Row 2 (WS): K6, p2, k2, p5, [k1, p1] 4 times, k1, p2, k2

Row 3: P2, 2x1 LPC, [p1, k1] 4 times, 2x1 RPC, 2x1 LPC, 2x1 RPC, p6.

Row 4: K7, p4, k2, p3, [k1, p1] 3 times, k1, p2, k3. Row 5: P3, 2x1 LPC, [p1, k1] 3 times, 2x1 RPC, p2,

2x2 RC, p7.

Row 6: K7, p4, k3, p3, [k1, p1] 3 times, p1, k4.

Row 7: K4, 2x1 LPC, [p1, k1] 2 times, 2x1 RPC, p2, 2x1 RPC, 2x1 LPC, p6.

Row 8: K6, p2, k2, p2, k3, p3, [k1, p1] 2 times p1, k5

Row 9: P5, 2x1 LPC, p1, k1, 2x1 RPC, p2, 2x1 RPC, k1, p1, 2x1 LPC, p5.

Row 10: K5, p2, k2, p1, k1, p2, k3, p3, k1, p2, k6.

Row 11: P6, 2x1 LPC, 2x1 RPC, p2, 2x1 RPC, [k1, p1] 2 times, 2x1 LPC, p4.

Row 12: K4, p2, k2, [p1, k1] 2 times, p2, k3, p4, k7.

Row 13: P7, 2x2 RC, p2, 2x1 RPC, [k1, p1] 3 times, 2x1 LPC, p3.

Row 14: K3, p2, k2, [p1, k1] 3 times, p2, k2, p4, k7.

Row 15: P6, 2x1 RPC, 2x1 LPC, 2x1 RPC, [k1, p1] 4 times, 2x1 LPC, p2.

Row 16: K2, p2, k2, [p1, k1] 4 times, p4, k2, p2, k6.

Row 17: P6, k2, p2, 2x2 LC, [k1, p1] 5 times, p2, k2.

Row 18: K2, p2, [k1, p1] 5 times, p4, k2, p2, k6.

Row 19: P6, 2x1 LPC, 2x1 RPC, 2x1 LPC, [k1, p1] 4 times, 2x1 RPC, p2.

Row 20: K3, p2, [k1, p1] 4 times, p2, k2, p4, k7.

Row 21: P7, 2x2 RC, p2, 2x1 RPC, [k1, p1] 3 times, 2x1 RPC, p3.

Row 22: K4, p2, [k1, p1] 3 times, p2, k3, p4, k7.

Row 23: P6, 2x1 RPC, 2x1 LPC, p2, 2x1 LPC, [k1, p1] 2 times, 2x1 RPC, p4.

Row 24: K5, p2, [k1, p1] 2 times, p2, k3, p2, k2, p2, k6

Row 25: P5, 2x1 RPC, p1, k1, 2x1 LPC, p2, 2x1 LPC, k1, p1, 2x1 RPC, p5.

Row 26: K6, p2, k1, p3, k3, p2, k1, p1, k2, p2, k5.

Row 27: P4, 2x1 RPC, [p1, k1] 2 times, 2x1 LPC, p2, 2x1 LPC, 2x1 RPC, p6.

Row 28: K7, p4, k3, p2, [k1, p1] 2 times, k2, p2, k4.

Row 29: P3, 2x1 RPC, [p1, k1] 3 times, 2x1 LPC, p2, 2x2 RC, p7.

Row 30: K7, p4, k2, p2, [k1, p1] 3 times, k2, p2, k3.

Row 31: P2, 2x1 RPC, [p1, k1] 4 times, 2x1 LPC, 2x1 RPC. 2x1 LPC, p6.

Row 32: K6, p2, k2, p4, [k1, p1] 4 times, k2, p2 k2. Rep Rows 1-32 for patt.

PATTERN BEGINS

TANK

Back

With smaller ndl, cast on 76 (84, 96, 104, 116) (124, 136, 144, 156) sts.

Hem

Row 1 (RS): Work Row 1 of K2, P2 Rib to end.

Knit, Relax, Smile, Repeat!

2023 © Universal Yarn, Inc. www.universalyarn.com

All rights reserved. This pattern may not be reproduced for business, trade or sale.

Questions? Contact patterns@universalyarn.com

Cont as est'd in K2, P2 Rib until piece meas 2" from cast-on edge, ending with a WS Row. Change to larger ndl.

SIZES SMALL (LARGE, 2X, 4X) ONLY

Inc Row (RS): P1, m1p, purl to last st, m1p, p1 - 2 sts inc'd, 86 (106, 126, 146) sts.

Even Row (WS): Knit.

All Sizes

76 (86, 96, 106, 116) (126, 136, 146, 156) sts.

Evelets Section

Set-up Row 1 (RS): P12, pm, p12 (17, 22, 27, 32) (37, 42, 47, 52), pm, p28, pm, p12 (17, 22, 27, 32) (37, 42, 47, 52) pm, p12.

Set-up Row 2 (WS): Knit, slipping markers as you come to them.

Row 1 (RS): Work Row 1 of Eyelets Left over 12 sts, sl m, purl to m, sl m, work Row 1 of Woven Cable Panel over 28 sts, sl m, purl to m, sl m, work Row 1 of Eyelets Right over 12 sts.

Row 2 (WS): Work Row 2 of Eyelets Right over 12 sts, sl m, knit to m, sl m, work Row 2 of Woven Cable Panel over 28 sts, sl m, knit to m, sl m, work Row 2 of Eyelets Left over 12 sts.

Cont as est'd through Row 8 of Eyelets Left, Woven Cable Panel, and Eyelets Right, then rep Rows 1-8 of Eyelets Left and Right 3 more times, while at the same time working through Row 32 of Woven Cable Panel – 4 eyelets placed on Left and Right sides.

Main Body

Set-Up Row 1: Purl to m, remove marker, purl to m, sl m, work next row of Woven Cable Panel over 28 sts, sl m, purl to m, remove marker, purl to end.

Next Row: Knit to m, sl m, work next row of Woven Cable Panel over 28 sts, sl m, knit to end. Cont in patt as est'd until piece meas 16 (16½, 16½, 16½, 17) (17, 17, 17½, 17½)" from cast-on edge, ending with a WS row.

Armhole Shaping

Note 1: Maintain pattern as established throughout Armhole and Neck shaping.

Note 2: Please read through the Armhole Shaping and Neck Shaping sections carefully before proceeding. Neck Shaping begins during Armhole Shaping and is worked simultaneously.

Bind off 5 (5, 5, 7, 7) (7, 10, 10, 10) sts at the beg of the next 2 rows - 66 (76, 86, 92, 102) (112, 116, 126, 136) sts rem.

Dec Row (RS): P1, ssp, cont as est'd to last 3 sts, p2tog, p1 - 2 sts dec'd, 64 (74, 84, 90, 100) (110, 114, 124, 134) sts rem.

Rep Dec Row every 6 (4, 4, 4, 4) (4, 4, 4, 4) rows, - (9, 7, 8, 6) (3, 5, 3, 1) more time(s), then rep Dec

Row every 4 (2, 2, 2, 2) (2, 2, 2, 2) rows, 9 (3, 9, 9, 15) (22, 20, 26, 32) more times – 18 (24, 32, 34, 42) (50, 50, 58, 66) sts dec'd.

At the same time, when piece meas 3½ (4, 4¾, 5¼, 6) (6¼, 6¾, 7½, 8)" from armhole bind-off, ending with a WS row, begin Neck Shaping as follows:

Neck Shaping

Note 1: Place removable markers on each side of center 18 sts.

Note 2: Cont working armhole decreases throughout neck shaping.

Next Row (RS): Cont in est'd patt over Right Back sts, attach a new ball of yarn and bind off center 18 sts, cont in est'd patt over Left Back sts to end. Place Right Back sts on holder or waste yarn.

Shape Left Back Neck

WS Rows 1-22: Cont as est'd to end.

Row 2 (RS): Bind off 2 (2, 2, 2, 2) (3, 3, 3, 3), cont as est'd to end.

RS Rows 4-10: Bind off 2, cont as est'd to end. RS Rows 12-14: Bind off 1, cont as est'd to end. Row 16: Bind off - (-, -, 1, 1) (1, 1, 1, 1), cont as est'd to end

Row 18: Bind off - (-, -, -, -) (1, 1, 1, 1), cont as est'd to end.

Row 20: Bind off - (-, -, -, -) (-, 1, 1, 1), cont as est'd to end

After all Neck Shaping and Armhole Shaping is complete, 2 (4, 5, 6, 7) (6, 7, 8, 9) sts rem. Cont even as est'd, if necessary, until piece meas 6½ (7, 7½, 8½) (9, 9½, 9½, 10½, 11)" from first underarm bind-off. Bind off rem sts. Return Right Back sts to needle.

Shape Right Back Neck

Row 1 (WS): Bind off 2 (2, 2, 2, 2) (3, 3, 3, 3), cont as est'd to end.

RS Rows 2-14: Cont as est'd to end.

WS Rows 3-9: Bind off 2, cont as est'd to end. WS Rows 11-13: Bind off 1, cont as est'd to end. Row 15: Bind off - (-, -, 1, 1) (1, 1, 1, 1), cont as est'd to end.

Row 17: Bind off - (-, -, -, -) (1, 1, 1, 1), cont as est'd to end.

Row 19: Bind off - (-, -, -, -) (-, 1, 1, 1), cont as est'd to end.

After all Neck Shaping and Armhole Shaping is complete, 2 (4, 5, 6, 7) (6, 7, 8, 9) sts rem. Cont even as est'd, if necessary, until piece meas 6½ (7, 7¾, 8¾, 9) (9¾, 9¾, 10½, 11)" from first underarm bind-off. Bind off rem sts.

FRONT

Work as for Back.

Knit, Relax, Smile, Repeat!

2023 © Universal Yarn, Inc. www.universalyarn.com **FINISHING**

Gently wash and block pieces to finished measurements. Weave in ends. Sew Side seams and Shoulder seams.

Armhole Edging

With dpns, beg at center of underarm, pick up and knit 76 (84, 88, 96, 104) (108, 120, 124, 128) sts evenly around armhole. PM and join to knit in the round. Work in K2, P2 Rib for ¾". Bind off all sts in patt.

Neck Edging

Pick up and knit 84 (84, 84, 88, 88) (96, 100, 100, 100) sts evenly around the neck. PM and join to knit in the round. Work in K2, P2 Rib for ¾". Bind off all sts in patt.

I-Cord Tie

(make 2)

Cast on 4 sts to dpn. * K4, slide sts to other end of ndl and place in left hand; rep from * until I-cord meas 36" (or longer, depending on preference). Beg at the top set of eyelets, thread I-Cord through Eyelets crossing back and forth over side seams. Tie in a bow or knot (your preference) at hemline

Abbreviations

* indicates a repeat section

approx
beg
cn
cont
dec('d)
approximately
begin(ning)
cable needle
cont
continue
dec('d)
approximately
begin(ning)
cable needle
cable needle
continue
decrease(d)

dpn(s) double pointed needle(s)

est'd established inc('d) increase(d)

k knit

k2tog knit 2 stitches together (1 st

dec'd) marker

m marker

m1P insert left needle from back to

front under horizontal strand of yarn lying between st just worked and next st, purl this st through

the front loop (1 st inc'd)

meas measures ndl needle p purl

p2tog purl 2 sts together (1 st dec'd)

patt pattern
pm place marker
rem remain(ing)
rep repeat
RS right side

ssk slip next 2 sts individually

knitwise, slip them back to left needle in this position, knit them

on, knit them Knit, Relax, Smile, Repeat!

2023 © Universal Yarn, Inc. www.universalyarn.com

All rights reserved. This pattern may not be reproduced for business, trade or sale.

Questions? Contact patterns@universalyarn.com

together through the back loops (1 st dec'd) slip next 2 sts individually

knitwise, slip them back to left needle in this position, purl them together through the back loops

(1 st dec'd)

st(s) stitch(es)

ssp

WS wrong side yo yarn over



